




GRB




Includes "Black & White" Collection



THE INTELLIGENT MIXERS ARE MADE IN EUROPE

Here at GRB we have come to the conclusion that the only way to offer our quality, our technological developments, our highly qualified staff, our refined designs, our guarantee, our delivery and our service is by concentrating our production in Europe.



The first tapware manufacturer,
to be certified by the label:
“Certified Spanish Origin”

Innovation

Our taps, in addition to being certified, are backed by international patents that accredit us.

From GRB Dry, to Intimixer or the new In Cool collection. Patented products that only think about our client.

1

GRB Live

is a system of thermostatic mixers developed by GRB, that, in addition to comfort, safety and water savings, provide precision in stable temperature. In the event of a possible cut-off of cold or hot water in the home, the GRB thermostatic cartridge reacts and shuts off the hot or cold water to prevent significant temperature changes for the user. Suitable for all types of boilers.

2

GRB Dry

is the name of the technology developed by GRB, that is incorporated into our shower columns, providing them with a new technical feature: the draining of all the water that remains in the column once the tap is closed. With this system, shutting off the shower will re-direct the remaining water from the shower to the exterior. Thus, the water will be drained, removing the possibility of the growth of bacteria.

3

Intimixer is the only tap in the world that thinks about your intimate hygiene and the first range that offers thermostatic mixers in this type of product. At GRB we have developed a safety shut-off system, that prevents any type of flooding in the home.

4

GRB Soft

is the system that defines the characteristics of our mixer cartridges for single-handle mixers. The combination of its components, reduces erratic flow, transmits perfectly the manual movements in the selection of temperature with a precise handle.

5

dpura


system incorporated into our purifier taps. A minimalist design in a tap with a purifier system that allows you to activate the purified water with a single touch. The only model with a "dpower" push-button, removable spout and LED light that visually indicates which mode of purified water we have activated. You decide when and for how long you require pure water.

6

International Patents

that due to our capacity for innovation, are in constant evolution. Our great number of patents, utility models and design protections show our capacity for creating our own technology. But always with an objective: to be perceived by the user of our products.

Quality



Novelties

AURA COLLECTION

If the search for mixers is something artistic, exceptional, then the choice must be Aura. Its faceted handle transforms it into a jewel, in harmony of fine and elegant reflections.



JOLIE COLLECTION

Clear lines or perhaps organic lines? If it is the second option, this original collection fulfils the highest requirements both in its harmony of forms and in quality and comfort. Requirements fulfilled both by the interior technology, by its aerator with reticulated waterfall, and by its incorporated base.



Novelties

AXIS COLLECTION


Axis was born in the search for a different collection, with an innovative design of perpendicular planes and with an original curtain waterfall in its wash basins. Regardless of the style chosen for the bathroom, any of its finishes will adapt as the differential detail in the decoration of the space.



KITCHENS

The kitchen is the new meeting place in the home. An independent space destined for socialising and leisure. Because of this, our taps have evolved in new finishes to adapt to this space, to make it unique.

Copper, black, chrome, inox... original finishes that blend in with unique surroundings.



Novelties

INCOOL COLLECTION

GRB In is the name given to the new technology developed by GRB for its built-in products. And Cool is the external part, the part that the user interacts with daily during his/her shower. You only need to set the ideal temperature and enter it for the feeling to be unique.



10

GRB mixers

INSTALLATION





INCOOL


“Collection: Sum of the ‘in’ technology and the
Cool operation systems

SINGULAR BUILT-IN MIXER SYSTEM THAT ALLOWS DEVELOPMENT
OF UNIQUE SPACES IN THE BATHROOM







Built-in wash basin mixer



- Spout 150 mm and Ø45 mm plate
- Ø80 mm handle
- Spout with outlet internal G1/2" male plug for installation

CHROME	WHITE	BLACK	INOX	GOLD
90 108 000	90 108 001	90 108 002	90 108 003	90 108 005
200.50	277.20	277.20	317.00	408.40

MECHANISM NECESSARY:




GRB in mechanism MN1 IN
1 interior way

- 59 mm internal mechanism. Allows tiling from 13 to 25 mm
- Connections G 3/4" female

90 001 000 160.00



Built-in wash basin mixer



- Spout 200 mm and Ø45 mm plate
- Ø80 mm handle
- Spout with outlet internal G1/2" male plug for installation

CHROME	WHITE	BLACK	INOX	GOLD
90 106 000	90 106 001	90 106 002	90 106 003	90 106 005
211.00	293.00	293.00	337.00	428.40

MECHANISM NECESSARY:




GRB in mechanism MN1 IN
1 interior way

- 59 mm internal mechanism. Allows tiling from 13 to 25 mm
- Connections G 3/4" female

90 001 000 160.00


Intimixer mixer



- Ø80 mm handle
- Fresh hand-shower and black shower hose 90 cm
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 107 000	90 107 001	90 107 002	90 107 003	90 107 005
232.20	320.50	320.50	361.70	501.60

MECHANISM NECESSARY:



GRB in mechanism MN1 FR
1 frontal way handle with support and wall outlet


- 45 mm internal mechanism. Allows tiling from 13 to 25 mm
- Limit flow 4 l/min
- Connections G 3/4" female

90 000 100 95.00







Mixer 1 frontal way



- Ø80 mm handle
- Does not include shower hose, hand-shower and showerhead
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 100 100	90 100 101	90 100 102	90 100 103	90 100 105
180.00	240.00	240.00	270.00	340.20

MECHANISM NECESSARY:



GRB in mechanism MN1 FR
1 frontal way handle with support and wall outlet

- 45 mm building block. Allows tiling from 13 to 25 mm
- Frontal way for hand-shower 10,5 l/min at 3 bar
- Connections G 3/4" female

90 000 100	95.00
------------	-------



Mixer 1 interior way



- Ø80 mm handle
- Does not include shower hose, hand-shower and showerhead

CHROME	WHITE	BLACK	INOX	GOLD
90 101 000	90 101 001	90 101 002	90 101 003	90 101 005
135.00	195.00	195.00	225.00	255.20

MECHANISM NECESSARY:




GRB in mechanism MN1 IN
1 interior way

- 59 mm building block. Allows tiling from 13 to 25 mm
- Connections G 3/4" female

90 001 000	160.00
------------	--------


Mixer 2 ways horizontal



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 102 000	90 102 001	90 102 002	90 102 003	90 102 005
290.00	402.00	402.00	462.00	548.10

MECHANISM NECESSARY:




GRB in mechanism MN2 FR HOR

1 interior way and 1 frontal way handle with support and wall outlet

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- Frontal way for hand-shower 10,5 l/min at 3 bar
- Connections G 3/4" female

8	90 002 000	240.00
---	------------	--------


Mixer 3 ways horizontal



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 102 000	90 102 001	90 102 002	90 102 003	90 102 005
290.00	402.00	402.00	462.00	548.10

MECHANISM NECESSARY:



GRB in mechanism MN3 FR HOR

2 interior ways and 1 frontal way handle with support and wall outlet



- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- Frontal way for hand-shower 10,5 l/min at 3 bar
- Connections G 3/4" female

4	90 003 000	295.00
---	------------	--------





Thermostatic 2 ways vertical interiors



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter



90 105 000 310.00



90 105 001 416.00



90 105 002 416.00






90 105 003 476.00



90 105 005 585.90

MECHANISM NECESSARY:





GRB in mechanism TH2 IN VER 2 interior ways

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Connections G 3/4" female

90 008 000 450.00

Thermostatic 3 ways vertical interiors



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter



90 105 000 310.00



90 105 001 416.00



90 105 002 416.00






90 105 003 476.00



90 105 005 585.90

MECHANISM NECESSARY:



GRB in mechanism TH3 IN VER 3 interior ways

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Connections G 3/4" female

90 009 000 520.00




Thermostatic 2 ways vertical



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter
- Includes support with outlet
- This model must be completed with the Link handshower (00 060 010)

90 104 000 390.00

MECHANISM NECESSARY:




GRB in mechanism TH2 FR VER

1 interior way and 1 frontal way handle with support and wall outlet

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Possibility of including the GRB Dry drainage technology
- Frontal way for hand-shower 10,5 l/min at 3 bar

90 006 000 450.00


Thermostatic 3 ways vertical



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter
- Includes support with outlet
- This model must be completed with the Link handshower (00 060 010)

90 104 000 390.00

MECHANISM NECESSARY:




GRB in mechanism TH3 FR VER

2 interior ways and 1 frontal way handle with support and wall outlet

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Frontal way for hand-shower 10,5 l/min at 3 bar
- Connections G 3/4" female

90 007 000 520.00






Thermostatic 2 ways horizontal



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 103 000	90 103 001	90 103 002	90 103 003	90 103 005
390.00	496.00	496.00	556.00	737.10

MECHANISM NECESSARY:



GRB in mechanism TH2 FR HOR

1 interior way and 1 frontal way handle with support and wall outlet

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Possibility of including the GRB Dry drainage technology
- Frontal way for hand-shower 10,5 l/min at 3 bar

90 004 000	490.00
------------	--------


Thermostatic 3 ways horizontal



- Ø80 mm handles
- Does not include shower hose, hand-shower and showerhead
- Shut-off and mixed water diverter
- Includes support with outlet

CHROME	WHITE	BLACK	INOX	GOLD
90 103 000	90 103 001	90 103 002	90 103 003	90 103 005
390.00	496.00	496.00	556.00	737.10

MECHANISM NECESSARY:



GRB in mechanism TH3 FR HOR

2 interior ways and 1 frontal way handle with support and wall outlet

- 59 mm building block. Allows tiling from 13 to 25 mm
- Possibility of metallic structure for installation
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Water shut-off system for maintenance
- Easy accesible filters and check valves
- Frontal way for hand-shower 10,5 l/min at 3 bar
- Connections G 3/4" female

90 005 000	540.00
------------	--------



DUMMYS INCOOL

DISPLAY PRODUCTS

All our inCool mixers are available in Dummy (non-functional) version. We deliver each element with its corresponding instructions that indicate the simple method of installation to put the mixers into their surroundings, without the need to include GRB in (built-in part).

The installation can be done in two ways: Screwing the product to the wall, or using our GRB Protect glue which after 72h, ensures optimal, secure fastening of the product.

Wash basin mixer dummy



- Spout 200 mm
- Spout plaque Ø45 mm
- Ø80 mm handle

CHROME	WHITE	BLACK	INOX	GOLD
90 906 000	90 906 001	90 906 002	90 906 003	90 906 005
211,00 €	293,00 €	293,00 €	337,00 €	428,40 €

Intimixer mixer dummy



- Ø80 mm handle
- Fresh hand-shower and black shower hose 90 cm

CHROME	WHITE	BLACK	INOX	GOLD
90 907 000	90 907 001	90 907 002	90 907 003	90 907 005
232.20	320.45	320.45	361.70	501.60

Mixer 1 frontal way dummy



- Ø80 mm handle
- Does not include shower hose and hand-shower

CHROME	WHITE	BLACK	INOX	GOLD
90 900 000	90 900 001	90 900 002	90 900 003	90 900 005
180.00	240.00	240.00	270.00	340.20

Mixer 1 interior way dummy








- Ø80 mm handle
- Does not include shower hose and hand-shower

CHROME	WHITE	BLACK	INOX	GOLD
90 901 000	90 901 001	90 901 002	90 901 003	90 901 005
135.00	195.00	195.00	225.00	255.10

Mixer 2/3 ways horizontal dummy

- Ø80 mm handles
- Does not include shower hose and hand-shower








CHROME	WHITE	BLACK	INOX	GOLD
				
90 902 000 290.00	90 902 001 402.00	90 902 002 402.00	90 902 003 462.00	90 902 005 548.10

Thermostatic 2/3 ways horizontal dummy

- Ø80 mm handles
- Does not include shower hose and hand-shower
- Shut-off and mixed water diverter








CHROME	WHITE	BLACK	INOX	GOLD
				
90 903 000 390.00	90 903 001 496.00	90 903 002 496.00	90 903 003 556.00	90 903 005 899.60

Thermostatic 2/3 ways vertical dummy

- Ø80 mm handles
- Does not include shower hose and hand-shower
- Shut-off and mixed water diverter




CHROME	WHITE	BLACK	INOX	GOLD
				
90 905 000 310.00	90 905 001 416.00	90 905 002 416.00	90 905 003 476.00	90 905 005 737.10



Thermostatic 2/3 ways vertical dummy

- Ø80 mm handles
- Does not include shower hose and hand-shower
- Shut-off and mixed water diverter




CHROME

90 904 000 390.00





Square built-in showerhead 350x350 mm





- With built-in mechanism
- Anti-limescale system. Avoids obstructions and quick cleaning
- Chrome: 350x350 mm
- White, black, inox and gold: 380x380 mm




PRESIÓN (bar)	0	0,5	1	1,5	2	2,5	3	3,5
CAUDAL (l/min)	0	6,8	10,8	12,3	12,4	12,7	12,9	13






Circular built-in showerhead Ø380 mm




- With built-in mechanism
- Anti-limescale system. Avoids obstructions and quick cleaning




PRESIÓN (bar)	0	0,5	1	1,5	2	2,5	3	3,5
CAUDAL (l/min)	0	6,8	10,8	12,3	12,4	12,7	12,9	13






Square built-in showerhead 2 ways 380x380 mm




- 2 water exits: waterfall and rain
- With built-in mechanism
- Anti-liming system. Avoids obstructions and quick cleaning




PRESIÓN (bar)	0	0,5	1	1,5	2	2,5	3	3,5
CAUDAL (l/min)	0	8,7	11,3	12,5	12,6	12,6	12,6	12,6
CAUDAL (l/min) CASCADA	0	8,1	11,2	13,5	14,8	15,1	14,9	14,5



Slim showerhead Ø250 mm



- Adjustable connection G 1/2"
- Extra-thin design 2 mm thickness
- Anti-liming system. Avoids obstructions and quick cleaning



05 020 002 81.55



00 080 041 150.00



00 080 042 150.00




00 080 043 150.00



00 080 045 231.60

Ceiling arm



- Ø20 mm
- L 170 mm
- Standard



058 140 30.00



05 025 031 76.00



05 025 032 76.00




05 025 033 76.00



05 025 035 85.20

Curved arm



- Ø22 mm
- L 330 mm



05 025 001 40.00



05 025 011 69.80



05 025 012 69.80




05 025 013 92.40




05 025 015 113.60

Tray with wall outlet




- With water inlet G 1/2 "
- With hand-shower support

CHROME




00 070 010 120.00

WHITE




00 070 011 202.50

BLACK




00 070 012 202.50

INOX




00 070 013 202.50

GOLD




00 070 015 340.00


Link hand-shower



- Ø 100 mm
- 1 function
- Anti-liming system. Avoids obstructions and quick cleaning
- With a white surface which removes the appearance of water marks




CHROME




00 060 010 56.00

Tube hand-shower



- L210 mm
- 1 function
- Anti-liming system. Avoids obstructions and quick cleaning




CHROME



00 060 020 36.00

WHITE




00 060 021 76.00

BLACK




00 060 022 76.00

INOX



00 060 023 76.00


GOLD



00 060 025 102.24

Tube bath spout

• Spout 227 mm



059 116 57.40



00 007 011 90.60



00 007 012 90.60





00 007 013 120.00



00 007 015 163.00

Studio shelves



- PVC ledge
- Screwed or fixed with GRB protect adhesive



00 076 011 54.00



00 076 012 54.00



00 076 014 54.00

Lisse shower hose 150 cm

• G 1/2" - G 1/2"



00 050 031 28.00



00 050 032 28.00

Lisse shower hose 90 cm

• G 1/2" - G 1/2"



00 050 041 26.00



00 050 042 26.00

Metallic hose 170 cm

• G 1/2" - G 1/2"



00 050 035 60.00

INCOOL ACCESORIES

PLATES 90x90 mm

The product inCool is a product essentially without plates. Nevertheless, we have developed kits of square 90 x 90 mm plates that will make it possible to cover or hide any type of imperfection that could occur in the installation or work of the bathroom. In this way, we ensure that in any situation, the final product presentation continues being under the essential form in which the product was born. Each of the plates is served with its own instructions. All the elements of the inCool tapware are shown in the price list with the reference corresponding to the necessary Mark plates Kit according to its type of product.

Mark plate for mixer with support



chrome	00 011 040	32.00
white	00 011 041	67.00
black	00 011 042	67.00
inox	00 011 043	82.00
gold	00 011 045	90.90

Mark plate for mixer




chrome	00 011 030	32.00
white	00 011 031	67.00
black	00 011 032	67.00
inox	00 011 033	82.00
gold	00 011 035	90.88

Mark plates kit for mixer



chrome	00 011 020	60.00
white	00 011 021	125.00
black	00 011 022	125.00
inox	00 011 023	155.00
gold	00 011 025	170.40

Mark plates kit for thermostatics



chrome	00 011 010	90.00
white	00 011 011	185.00
black	00 011 012	185.00
inox	00 011 013	230.00
gold	00 011 015	255.60

EMPTY KIT

The 2-way thermostatic mixers of the GRB inCool collection can be completed with the exclusive functionality provided by GRB DRY technology. With this new technical feature, the same movement of closing of the thermostatic mixer, causes the water remaining the shower to drain outside. The water will drain, removing the possibility of the growth of bacteria, as well as the dripping produced by the water that remains in the showerhead after some time. The kit comes with specific installation instructions in order to adapt it to each of the products. Each drainage kit appears in the price list in each tapware with the reference necessary to include this functionality.

Emptyed kit for horizontal thermostatic



chrome	00 020 010	110,00 €
white	00 020 011	135,00 €
black	00 020 012	135,00 €
inox	00 020 013	150,00 €
gold	00 020 015	312,40 €

Emptyed kit for vertical thermostatic




00 020 020	24,00 €
------------	---------

METALLIC INSTALLATION FRAMES


We have metal frames both for thermostatic mixers and for single-levers with 2/3 outlets. These frames serve as support in the installation of GRB in. Including this variable in the installation will allow, during the installation process, the alignment of the product with the wall to be much simpler. This way, installing a GRB in product in your bathroom is even easier and simpler. The necessary depth is 59 mm, coinciding with the measurement of the most common prefabricated walls. Suitable for plasterboard.

Instalation fastening case GRB in for mixer



00 030 010	25.00
------------	-------

Instalation fastening case GRB in for thermostatic



00 030 020	35.00
------------	-------

INCOOL DOUBLE RING KIT

It is possible to install thermostatic products with a double ring with which to set the ideal temperature of two different users. The argument about what is the ideal temperature of the shower has ended. Now each person can shower with the temperature that makes them feel better on starting the day: the WOW! temperature.

Double ring Kit




chrome	00 020 030	55.00
white	00 020 031	85.30
black	00 020 032	85.30
inox	00 020 033	110.00
gold	00 020 035	156.20

TOOLS

From GRB we provide the necessary tools to complete the installation of our new inCool collection.

Crown gear



00 040 010 38,00 €

Spindle for cutting crown



00 046 010 55,00 €

AURA

“Aura is its surrounding halo; it is its handle that transforms it into the jewel of the bathroom space”


AMAZING GEOMETRIC FACETING



AURIA



Wash basin mixer



- Height 70 mm to aerator
- Integrated aerator with easy access
- Flexible connection hoses





CHROME

WHITE


BLACK

INOX

GOLD

		75 510 750	161.40	75 510 751	242.10	75 510 752	242.10	75 510 753	266.40	75 510 754	327.70
		75 512 750	182.30	75 512 751	273.50	75 512 752	273.50	75 512 753	300.80	75 512 754	370.10

XL Wash basin mixer



- Height 120 mm to aerator
- Integrated aerator with easy access
- Flexible connection hoses




CHROME

WHITE


BLACK

INOX

GOLD

		75 540 750	189.70	75 540 751	284.60	75 540 752	284.60	75 540 753	313.10	75 540 754	385.10
		75 531 750	210.60	75 531 751	315.90	75 531 752	315.90	75 531 753	347.50	75 531 754	427.50

XXL wash basin mixer



- Height 222 mm to aerator
- Integrated aerator with easy access
- Flexible connection hoses

CHROME

WHITE

BLACK


INOX

GOLD

Spout 125 mm			75 550 750	245.20	75 550 751	367.80	75 550 752	367.80	75 550 753	404.50	75 550 754	497.70
Spout 125 mm			75 552 750	266.10	75 552 751	399.10	75 552 752	399.10	75 552 753	439.00	75 552 754	540.10
Spout 230 mm			75 511 750	253.90	75 511 751	380.80	75 511 752	380.80	75 511 753	418.90	75 511 754	515.40
Spout 230 mm			75 513 750	274.80	75 513 751	412.20	75 513 752	412.20	75 513 753	453.40	75 513 754	557.80



Built-in wash basin mixer



- Metallic single plates
- Easy-clean aerator. No key needed for disassembly
- Depth in wall min. 40 mm max. 60
- Install with handle at the right and spout at the left. The built in parts cannot be reversed
- Connections G 1/2"

CHROME

WHITE


BLACK

INOX

GOLD

Spout 150 mm	75 535 750	305.90	75 535 751	412.90	75 537 752	441.20	75 535 753	455.80	75 535 754	556.70
Spout 150 mm	75 537 750	326.80	75 537 751	441.20	75 536 752	455.40	75 537 753	486.90	75 537 754	594.70
Spout 200 mm	75 534 750	316.40	75 534 751	427.20	75 535 752	412.90	75 534 753	471.50	75 534 754	575.90
Spout 200 mm	75 536 750	337.30	75 536 751	455.40	75 534 752	427.20	75 536 753	502.60	75 536 754	613.90

Bidet mixer



- Height 75 mm to aerator
- Flexible connection hoses

CHROME

WHITE

BLACK

INOX

GOLD

75 710 750	161.40	75 710 751	242.10	75 710 752	242.10	75 710 753	266.40	75 710 754	327.70
75 712 750	183.30	75 712 751	275.00	75 712 752	275.00	75 712 753	302.50	75 712 754	372.10



AURA

AVAILABLE FINISHES



36

GRB mixers

Mixer shower

- GRB soft system



without set



75 324 750 187.60

75 324 751 281.40

75 324 752 281.40

with bar set



75 328 750 276.90

75 328 751 418.90

75 328 752 418.90

Mixer bath-shower

- GRB soft system
- Diverter in shower position



without set



75 224 750 280.90

75 224 751 421.30

75 224 752 421.30


with bar set



75 332 750 370.20

75 332 751 559.80

75 332 752 559.80



Thermostatic shower


- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Stop safety button 38°C



CHROME

WHITE

BLACK

without set  **75 310 750** 281.10 **75 310 751** 421.60 **75 310 752** 421.60

with bar set  **75 316 750** 370.40 **75 316 751** 560.00 **75 316 752** 560.00

Thermostatic bath-shower

- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Stop safety button 38°C
- Bath spout with a silicone ring which provides a perfect grip for turning on the mixed water and temperature warning indicator
- The thermosensitive silicone changes its colour with the temperature




CHROME

WHITE

BLACK

without set  **75 210 750** 334.40 **75 210 751** 501.60 **75 210 752** 501.60

with bar set  **75 232 750** 423.70 **75 232 751** 640.00 **75 232 752** 640.00

SLIDE BAR SET AURA

CHROME

- Brass Tube hand-shower CHROME
- Shower hose 170 cm Silver GRAY
- Key slide bar 790 cm CHROME

WHITE

- Brass Tube hand-shower WHITE
- Shower hose 170 cm Silver WHITE
- Key slide bar 790 cm CHROME

BLACK

- Brass Tube hand-shower BLACK
- Shower hose 170 cm Silver BLACK
- Key slide bar 790 cm CHROME



AVAILABLE FINISHES



AXIS

- Slim showerhead 250 mm
CHROME
- Shower hose 170 cm Silver
GRAY
- Brass Tube hand-shower 1F
CHROME

- Slim showerhead 250 mm
WHITE
- Shower hose 170 cm Silver
WHITE
- Brass Tube hand-shower 1F
WHITE




- Slim showerhead 250 mm
BLACK
- Shower hose 170 cm Silver
BLACK
- Brass Tube hand-shower 1F
BLACK




Thermostatic shower with column


- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Stop safety button 38°C
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Diverter and flow control on handle
- Adjustable support




 Fixed column	75 425 750	578.90	75 425 751	984.20	75 425 752	984.20
 Fixed XL column	75 425 750 XL	601.50	75 425 751 XL	1,022.50	75 425 752 XL	1,022.50
 Telescopic TL column	75 425 750 TL	640.00				



Fixed column



Fixed XL column






Telescopic TL column


Mixer shower with column




- Column with full use of height (75 mm only from the showerhead and the ceiling)
- GRB soft system
- Adjustable support
- With ceramic diverter on the left handle




	Fixed column	75 499 750	506.80	75 499 751	861.60	75 499 752	861.60
	Fixed XL column	75 499 750 XL	529.20	75 499 751 XL	899.70	75 499 752 XL	899.70
	Telescopic TL column	75 499 750 TL	592.90				



Fixed column



Fixed XL column




Telescopic TL column


Thermostatic bath-shower with telescopic column



- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Stop safety button 38°C
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Diverter and flow control on handle
- Adjustable support
- Bath spout with a silicone ring which provides a perfect grip for turning on the mixed water and temperature warning indicator
- The thermosensitive silicone changes its colour with the temperature



	Telescopic TL column	75 450 750 TL	724.30
---	----------------------	---------------	--------




Telescopic TL column



Built-in mixer


- Depth in wall min. 40 mm max. 55 mm
- Connections G 1/2"



CHROME			1 way	75 115 750	170.50
WHITE			1 way	75 115 751	238.70
BLACK			1 way	75 115 752	238.70

Built-in mixer

- Depth in wall min. 55 mm max. 70 mm
- With ceramic diverter
- Connections G 1/2"



CHROME			2 ways	75 135 750	249.90
WHITE			2 ways	75 135 751	349.90
BLACK			2 ways	75 135 752	349.90

BUILT-IN SYSTEM MIXERS

Depth in wall

1 way: min. 40 mm max. 55 mm
2 way: min. 55 mm max. 70 mm

Protective cover with

depth dimensions, inlets and levelling indicators

Ways


1 or 2




Built-in thermostatic



- Depth in wall min. 55 mm max. 80 mm
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Shut-off and mixed water diverter
- Water shut-off system for maintenance
- Easy accesible filters and check valves




3 ways		75 130 750	416.20	75 130 751	582.70	75 130 752	582.70
2 ways		75 120 750	388.70	75 120 751	544.20	75 120 752	544.20
1 way		75 110 750	388.70	75 110 751	544.20	75 110 752	544.20




AXIS


“A collection of planes perpendicular to each other
with original waterfall”

THE CURTAIN OF RAIN THAT FLOWS FROM THE TAP
MAKES AXIS A UNIQUE COLLECTION





Wash basin mixer




- Height 90 mm to aerator
- Integrated water curtain aerator, easily accessible
- Flow 6 l/min
- Includes key for maintenance
- Flexible connection hoses


CHROME

BLACK

INOX

		74 510 740	126.50	74 510 742	189.80	74 510 743	208.80
		74 512 740	147.30	74 512 742	221.00	74 512 743	243.10

XL Wash basin mixer







- Height 140 mm to aerator
- Integrated water curtain aerator, easily accessible
- Flow 6 l/min
- Includes key for maintenance
- Flexible connection hoses


CHROME

BLACK

INOX

		74 540 740	154.70	74 540 742	232.10	74 540 743	255.30
		74 531 740	175.60	74 531 742	263.40	74 531 743	289.80

XXL Wash basin mixer



- Height 222 mm to aerator
- Integrated water curtain aerator, easily accessible
- Flow 6 l/min
- Includes key for maintenance
- Flexible connection hoses

CHROME


BLACK

INOX

Spout 125 mm 		74 550 740	210.20	74 550 742	315.30	74 550 743	346.90
Spout 125 mm 		74 552 740	231.10	74 552 742	346.70	74 552 743	381.40
Spout 230 mm 		74 511 740	218.90	74 511 742	328.40	74 511 743	361.20
Spout 230 mm 		74 513 740	239.80	74 513 742	359.70	74 513 743	395.70



Built-in wash basin mixer



- Metallic single plates
- Easy-clean aerator. No key needed for disassembly
- Depth in wall min. 40 mm max. 60
- Install with handle at the right and spout at the left. The built in parts cannot be reversed
- Connections G 1/2"

CHROME




BLACK



INOX

Spout 150 mm			74 535 740	270.90	74 535 742	365.80	74 535 743	403.70
Spout 150 mm			74 537 740	291.80	74 537 742	394.00	74 537 743	434.80
Spout 200 mm			74 534 740	281.40	74 534 742	379.90	74 534 743	419.30
Spout 200 mm			74 536 740	302.30	74 536 742	408.20	74 536 743	450.50

Bidet mixer



- Height 75 mm to aerator
- Flexible connection hoses





CHROME



BLACK




INOX

		74 710 740	126.50	74 710 742	189.80	74 710 743	208.80
		74 712 740	147.30	74 712 742	221.00	74 712 743	243.10

AVAILABLE FINISHES



- GRB soft system



CHROME

BLACK

without set



74 324 740 144.60

74 324 742 216.90


with bar set



74 328 740 233.90

74 328 742 346.20

- GRB soft system
- Diverter in shower position



CHROME

BLACK

without set



74 224 740 237.90

74 224 742 356.90

with bar set



74 228 740 327.20


74 228 742 486.20

CHROME

- Brass Tube hand-shower
CHROME
- Shower hose 170 cm Silver
GRAY
- Key slide bar 790 cm
CHROME

BLACK

- Brass Tube hand-shower
BLACK
- Shower hose 170 cm Silver
BLACK
- Key slide bar 790 cm
CHROME



COLUMN ACCESSORIES AXIS

CHROME

- Slim showerhead 250 mm
CHROME
- Shower hose 170 cm Silver
GRAY
- Brass Tube hand-shower 1F
CHROME

BLACK

- Slim showerhead 250 mm
BLACK
- Shower hose 170 cm Silver
BLACK
- Brass Tube hand-shower 1F
BLACK




Mixer shower with column




- Column with full use of height (75 mm only from the showerhead and the ceiling)
- GRB soft system
- Adjustable support
- With ceramic diverter on the left handle


		CHROME	BLACK
Fixed column	74 499 740	463.80	74 499 742 788.50
Fixed XL column	74 499 740 XL	486.30	74 499 742 XL 826.80
Telescopic TL column	74 499 740 TL	549.90	



Fixed column



Fixed XL column



Telescopic TL column


AXIS

AVAILABLE FINISHES



Built-in mixer

- Depth in wall min. 40 mm max. 55 mm
- Connections G 1/2"



1 way

74 115 740

127.50




1 way

74 115 742

178.50

Built-in mixer

- Depth in wall min. 55 mm max. 70 mm
- With ceramic diverter
- Connections G 1/2"



2 ways

74 135 740

206.90



2 ways

74 135 742

289.70

48

GRB mixers

BUILT-IN SYSTEM MIXERS

Depth in wall

1 way: min. 40 mm max. 55 mm
2 way: min. 55 mm max. 70 mm

Protective cover with

depth dimensions, inlets and levelling indicators

Ways

1 or 2






JOLIE

“A harmonious play on organic shapes makes it an attractive and personal collection”


ITS ORIGINAL ROTATING RETICULAR WATERFALL
CREATES A TACTILE AND VISUAL SHOW



Reinforcement



Wash basin mixer



- Height 130 mm to aerator
- Flexible connection hoses
- Gyro aerator
- Flow 1,9 l/min
- Includes standard aerator to exchange
- Less water use and energy saving

CHROME

WHITE

BLACK

GOLD



82 510 820 185.00

82 510 821 277.50

82 510 822 277.50

82 510 824 375.60




82 512 820 205.90

82 512 821 308.90

82 512 822 308.90

82 512 824 418.00

Tall wash basin mixer



- Height 270 mm to aerator
- Flexible connection hoses
- Gyro aerator
- Flow 1,9 l/min
- Includes standard aerator to exchange
- Less water use and energy saving

CHROME

WHITE

BLACK

GOLD



82 540 820 248.00

82 540 821 372.00

82 540 822 372.00

82 540 824 545.90




82 531 820 268.90

82 531 821 403.40

82 531 822 403.40

82 531 824 503.40

Bidet mixer



- Height 88 mm to aerator
- Flexible connection hoses

CHROME

WHITE

BLACK

GOLD



82 710 820 185.00

82 710 821 277.50

82 710 822 277.50

82 710 824 375.60



82 712 820 205.90

82 712 821 308.90

82 712 822 308.90

82 712 824 418.00




COMBINABLE COLLECTION WITH
TIME MALE
VIEW PAGES: 56-63

TIME


“A timeless collection, the maximum expression
of minimalism in mixer taps”

PURE LINES AND INNOVATION IN THE INCORPORATION OF
THERMOSENSITIVE SILICONE IN YOUR THERMOSTATIC MIXER





Male wash basin mixer



- Height 70 mm to aerator
- Integrated aerator with easy access. Key is not necessary for maintenance
- Flexible connection hoses

CHROME

WHITE

BLACK



47 510 470 104.40

47 510 471 135.70

47 510 472 144.00




47 512 470 125.30

47 512 471 161.60

47 512 472 172.00

XL Male wash basin mixer



- Height 120 mm to aerator
- Integrated aerator with easy access. Key is not necessary for maintenance
- Flexible connection hoses

CHROME

WHITE

BLACK



47 540 470 132.70

47 540 471 172.60

47 540 472 183.20




47 531 470 153.55

47 531 471 199.70

47 531 472 211.90

XXL Male wash basin mixer



- Height 222 mm to aerator
- Integrated aerator with easy access. Key is not necessary for maintenance
- Flexible connection hoses

CHROME

WHITE

BLACK

Spout 125 mm 47 550 470 188.15 47 550 471 244.60 47 550 472 259.70


Spout 125 mm 47 552 470 209.05 47 552 471 271.80 47 552 472 288.50

Spout 230 mm 47 511 470 196.85 47 511 471 256.00 47 511 472 271.70

Spout 230 mm 47 513 470 217.75 47 513 471 283.10 47 513 472 300.50



Built-in wash basin mixer



- Metallic single plates
- Easy-clean aerator. No key needed for disassembly
- Depth in wall min. 40 mm max. 60
- Install with handle at the right and spout at the left. The built in parts cannot be reversed
- Connections G 1/2"

CHROME



WHITE




BLACK



Spout 150 mm	6	47 535 470	248.85	47 535 471	373.30	47 535 472	373.30
Spout 150 mm	6	47 537 470	269.75	47 537 471	404.70	47 537 472	404.70
Spout 200 mm	6	47 534 470	259.40	47 534 471	389.10	47 534 472	389.10
Spout 200 mm	6	47 536 470	280.30	47 536 471	420.50	47 536 472	420.50

Male bidet mixer



- Height 75 mm to aerator
- Flexible connection hoses

CHROME



WHITE



BLACK



10	47 710 470	114.20	47 710 471	148.40	47 710 472	157.60
10	47 712 470	135.10	47 712 471	174.30	47 712 472	185.60




TIME

AVAILABLE FINISHES



Mixer bath-shower



- GRB soft system
- Diverter in shower position




with set

47 225 470 252.35

47 225 471 378.60

47 225 472 378.60

Mixer shower



- GRB soft system



with set

47 325 470 152.05

47 325 471 228.10

47 325 472 228.10

Male bath-shower thermostatic

- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor
- Stop safety button 38°C
- Bath spout with a silicone ring which provides a perfect grip for turning on the mixed water and temperature warning indicator
- The thermosensitive silicone changes its colour with the temperature



BLAC

without set		47 210 470	240.35	47 210 471	360.50	47 210 472	360.50
with set		47 215 470	268.65	47 215 471	403.00	47 215 472	403.00

BLACK

- Konets hand-shower 1F
BLACK
- Shower hose 170 cm Silver
BLACK
- Support Pipe
BLACK





Male bath-shower thermostatic with telescopic column



- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor
- Stop safety button 38°C
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Bath spout with a silicone ring which provides a perfect grip for turning on the mixed water and temperature warning indicator
- The thermosensitive silicone changes its colour with the temperature
- Diverter and flow control on handle
- Adjustable support



 Telescopic TL column 47 450 470 TL 609.30



Telescopic TL column


Mixer shower with column




- Column with full use of height (75 mm only from the showerhead and the ceiling)
- GRB soft system
- Adjustable support
- Diverter on column




 Fixed column	47 475 470	421.80	47 475 471	717.00	47 475 472	717.00
 Fixed XL column	47 475 470 XL	444.20	47 475 471 XL	755.10	47 475 472 XL	755.10
 Telescopic TL column	47 475 470 TL	507.90				



Fixed column



Fixed XL column



Telescopic TL column

COLUMN ACCESSORIES TIME

CHROME

- 3F Snow showerhead Ø250 mm CHROME
- Shower hose 170 cm Silver GRAY
- Snow hand-shower 3F CHROME

WHITE

- Plot showerhead Ø250 mm WHITE
- Shower hose 170 cm Silver WHITE
- Konets hand-shower 1F WHITE

BLACK

- Plot showerhead Ø250 mm BLACK
- Shower hose 170 cm Silver BLACK
- Konets hand-shower 1F BLACK




Male shower thermostatic with column




- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor
- Stop safety button 38°C
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Diverter and flow control on handle
- Adjustable support


	CHROME	WHITE	BLACK
Fixed column	47 425 470 456.90	47 425 471 776.80	47 425 472 776.80
Fixed XL column	47 425 470 XL 479.45	47 425 471 XL 815.00	47 425 472 XL 815.00
Telescopic TL column	47 425 470 TL 517.95		



Fixed column



Fixed XL column




Telescopic TL column



Built-in mixer


- Depth in wall min. 40 mm max. 55 mm
- Connections G 1/2"



CHROME			1 way	47 115 470	113.45
WHITE			1 way	47 115 471	147.50
BLACK			1 way	47 115 472	156.60

Built-in mixer

- Depth in wall min. 55 mm max. 70 mm
- With ceramic diverter
- Connections G 1/2"



CHROME			2 ways	47 135 470	192.90
WHITE			2 ways	47 135 471	250.80
BLACK			2 ways	47 135 472	266.30

BUILT-IN SYSTEM MIXERS

Depth in wall

1 way: min. 40 mm max. 55 mm
2 way: min. 55 mm max. 70 mm

Protective cover with

depth dimensions, inlets and levelling indicators

Ways


1 or 2










Built-in thermostatic with shut-off



- Depth in wall min. 55 mm max. 80 mm
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Shut-off and mixed water diverter
- Stop safety button 38°C



	CHROME	WHITE	BLACK
3 ways	 47 130 470 322.15	 47 130 471 418.80	 47 130 472 444.40
2 ways	 47 120 470 294.65	 47 120 471 383.00	 47 120 472 406.50
1 way	 47 110 470 294.65		



KALA

“Kala adapts to the decorations of the bathrooms
full detail, of quadrangular lines”

THIS COLLECTION WILL ALWAYS BE THE DETAIL OF THE BATHROOM
WHEN SEEKING DIFFERENTIATION


K



KAFA



Wash basin mixer




- Height 113 mm to aerator
- Integrated aerator with easy access
- Flexible connection hoses



		60 510 600	141.70	60 510 601	179.00	60 510 602	170.00
		60 512 600	171.20	60 512 601	223.65	60 512 602	206.40

Tall wash basin mixer




- Height 240 mm to aerator
- Integrated aerator with easy access
- Flexible connection hoses



		60 515 600	196.85	60 515 601	249.00	60 515 602	236.20
		60 517 600	226.35	60 517 601	295.35	60 517 602	272.60

Bidet mixer




- Height 73 mm to aerator
- Flexible connection hoses



		60 710 600	141.70	60 710 601	184.20	60 710 602	170.00
		60 712 600	171.20	60 712 601	223.65	60 712 602	206.40



Built-in wash basin mixer



- Spout 200 mm
- Integrated aerator with easy access
- Depth in wall min. 40 mm max. 60
- Install with handle at the right and spout at the left. The built in parts cannot be reversed



60 530 600 311.60


60 530 601 467.40

60 530 602 467.40

60 532 600 341.10

60 532 601 511.70

60 532 602 511.70





KALA

AVAILABLE FINISHES



Mixer bath-shower



- GRB soft system
- With square plates
- Diverter in shower position




with set

60 225 600 320.20

60 225 601 480.30

60 225 602 480.30

Mixer shower



- GRB soft system
- With square plates




with set

60 325 600 253.00


60 325 601 379.50

60 325 602 379.50



Thermostatic shower

- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- The cold water runs through the thermostatic valve, keeping the valve cool to the touch



without set		60 310 600	243.85	60 310 601	365.80	60 310 602	365.80
with set		60 315 600	285.95	60 315 601	428.90	60 315 602	428.90

Thermostatic bath-shower

- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- The cold water runs through the thermostatic valve, keeping the valve cool to the touch
- Diverter and flow control on handle
- Push button for safe opening in the bath position



without set		60 210 600	296.05	60 210 601	444.00	60 210 602	444.00
with set		60 215 600	338.15	60 215 601	507.20	60 215 602	507.20

SET KIT KALA

CHROME

- Pixel hand-shower 1F CHROME
- Shower hose 170 cm Silver GRAY
- Support Zen CHROME

WHITE

- Pixel hand-shower 1F WHITE
- Shower hose 170 cm Silver WHITE
- Support Zen WHITE

BLACK

- Pixel hand-shower 1F BLACK
- Shower hose 170 cm Silver BLACK
- Support Zen BLACK




Shower thermostatic with telescopic column



- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- The cold water runs through the thermostatic valve, keeping the valve cool to the touch
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Diverter and flow control on handle
- Adjustable support



Telescopic TL column 60 445 600 561.30




Telescopic TL column

Mixer shower with column


- Column with full use of height (75 mm only from the showerhead and the ceiling)
- GRB soft system
- Adjustable brass support




Fixed column	60 467 600	567.30	60 467 601	964.40	60 467 602	964.40
Fixed XL column	60 467 600 XL	591.90	60 467 601 XL	1,006.20	60 467 602 XL	1,006.20
Fixed column XS	60 467 600 XS	576.20				



Fixed column



Fixed XL column



Fixed column XS

COLUMN ACCESSORIES KALA

CHROME

- Hokei showerhead 360x240 mm CHROME
- Shower hose 170 cm Silver GRAY
- Pixel hand-shower 1F CHROME

WHITE

- Square showerhead 250x250 mm WHITE
- Shower hose 170 cm Silver WHITE
- Pixel hand-shower 1F WHITE

BLACK

- Square showerhead 250x250 mm BLACK
- Shower hose 170 cm Silver BLACK
- Pixel hand-shower 1F BLACK




Thermostatic shower with column




- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- The cold water runs through the thermostatic valve, keeping the valve cool to the touch
- Column with full use of height (75 mm only from the showerhead and the ceiling)
- Adjustable brass support


		CHROME	BLACK	WHITE
1	Fixed column	60 449 600 569.60	60 448 601 968.40	60 448 602 968.40
1	Fixed XL column	60 449 600 XL 594.15	60 448 601 XL 1,010.00	60 448 602 XL 1,010.00
1	Fixed column XS	60 449 600 XS 578.50		




Fixed column



Fixed XL column




Fixed column XS



Built-in mixer


- Depth in wall min. 40 mm max. 55 mm
- Connections G 1/2"



CHROME	15	1 way	60 115 600	96.70
BLACK	15	1 way	60 115 601	133.50
WHITE	15	1 way	60 115 602	125.80

Built-in mixer

- Depth in wall min. 55 mm max. 70 mm
- With ceramic diverter
- Connections G 1/2"



CHROME	15	2 ways	60 135 600	176.00
BLACK	15	2 ways	60 135 601	242.90
WHITE	15	2 ways	60 135 602	228.80

BUILT-IN SYSTEM MIXERS

Depth in wall

1 way: min. 40 mm max. 55 mm
2 way: min. 55 mm max. 70 mm

Protective cover with


depth dimensions, inlets and levelling indicators

Ways


1 or 2



Built-in thermostatic with shut-off



- Depth in wall min. 55 mm max. 80 mm
- GRB Live Technology, Constant temperature. Valid for all hot water supplies
- Without minimum pressure and without calibration
- Anti-liming and self-calibrated metallic cartridge, certificated by Aenor.
- Shut-off and mixed water diverter
- C2 safety level, maximum 50°C



		CHROME	BLACK	WHITE
3 ways		146 800 366.95	60 130 601 506.20	60 130 602 477.00
2 ways		142 800 339.45	60 120 601 468.30	60 120 602 441.30
1 way		132 800 339.45		



INTIMIXER

“Taps that think about
personal hygiene”

INTERNATIONAL PATENT FOR
INTIMATE INTELLIGENCE & ANTI FLOODS




intimixer[®]

PROGRESSIVE

INTELLIGENT TAPS
THAT AVOID FLOODS

Fresh progressive Intimixer




- International patent for intelligent support avoiding floods
- Built-in system
- Flow limited 4 l/min
- Progressive temperature control
- Hot and cold water
- Constant comfort flow



08 225 100 201.10

Fresh progressive Intimixer




- International patent for intelligent support avoiding floods
- Built-in system
- Flow limited 4 l/min
- Progressive temperature control
- Hot and cold water
- Constant comfort flow



08 225 101 301.70

Fresh progressive Intimixer



- International patent for intelligent support avoiding floods
- Built-in system
- Flow limited 4 l/min
- Progressive temperature control
- Hot and cold water
- Constant comfort flow




08 225 102 301.70

KITCHENS

“Combination of design and technology
in the same element”


KITCHEN SINK TAPS WITH DESIGNS THAT ADAPT AND
CREATE UNIQUE SPACES IN THE KITCHEN

KITZUNSEN



KITCHENS

Kasvi purifier sink mixer




- Height 255 mm to aerator
- With two aerators: different exit for tap water and purified water
- Purified water flow limited to 2 l/min
- With GRB 90° system in the handle which avoids it hitting the wall



without filter		51 831 510	210.25	51 831 512	315.40
with filter		51 830 510	285.60	51 830 515	428.40

Aura sink mixer




- Height 347 mm to aerator
- It is recommended to position the handle on the right side



	75 820 750	237.00	75 820 752	355.50	75 820 753	391.10	75 820 756	481.20
--	-------------------	--------	-------------------	--------	-------------------	--------	-------------------	--------





GENERAL SALE CONDITIONS

The acceptance of an order will be subject to consideration of Griferías Grober S.L. and implies on the part of the buyer the Acceptance of the following general conditions of sale, except for everything that is expressly agreed upon different way in the confirmation of the order or offer.

PRICES:

The prices of this catalogue include the packing, and are a Recommended Retail Price.

DESIGN:

GRB reserve the right to modify its products without notification, following quality and production approval.

PACKAGING:

Free of charge.

WARRANTY:

Our taps are guaranteed for 5 years from the date of invoice or two years from the date of the invoice.

Products currently covered by a 2 year warranty:

- Taps with electronic components
- Temporizers
- Valves
- Shower columns. Hydro
- Hoses in full
- Hand-showers in full
- Supports in full
- Special finishes (except chrome)

Items or elements marked 'H', which have been used on public installations will be considered as "improper use" and will not enter this warranty.

Our warranty covers only the replacement of defective goods free of charge. We do not accept responsibility for damages due to "improper or misuse" directly or indirectly.

The warranty does not cover the installation costs of any products.

RETURNS:

- 1- GRB does not accept goods returned.
- 2- GRB accepts all returns of deficient products which are due to a manufacturing process, which cannot be solved

with the use of GRB spare parts.

3- Procedure:

- a) Goods can only be returned after communication with our sales representatives or distributor.
- b) In the case of return of new goods without previous notice, GRB applies depreciation on purchase price:
 - Materials and packaging in perfect condition to sell, if these are from the current year, there will be a minimum of 15% depreciation.
 - Materials and packaging in perfect condition to sell, if these are from the previous two years, there will be a minimum of 25% depreciation.
 - Materials and packaging in perfect condition to sell, if these are from three years or more, there will be a minimum of 35 % depreciation.
 - Declassified materials are not acceptable.

EXCHANGES:

All products that are ordered and shipped from the factory will be charged for.

Returned export shipments must be made by the original carrier GRB used to send the goods. GRB does not accept goods returned by any other way.

JURISDICTION:

GRB mixers remain convinced that commercial relations are based on good faith, Griferías Grober, S.L. prefers to amicably settle any conflicts that may oppose to our customers. However, in case of any unsolvable dispute by this method, the case then submits to the arbitration tribunals of Zaragoza, losing any jurisdiction. No contractual pictures or images may be used without the permission of GRB Mixers.

NOTES

NOTES

NOTES

NOTES



GRB[®]

intelligentmixers



GRB is a Spanish Certified Product. CEE

002019NOV ENG



84 35200 27390 9

Alaún, 19 Pla-Za / 50197 Zaragoza / Spain
T +34 976 504 170 / F +34 976 504 135 / export.comercial@grb.es / www.grbmixers.com